

Package: apollo13 (via r-universe)

September 14, 2026

Type Package
Title Houston, We Have a Problem
Version 0.0.1
Date 2015-04-15
Author Dirk Eddelbuettel
Maintainer Dirk Eddelbuettel <edd@debian.org>
Description Import a number of helper functions without exposing any evil underscores.
License GPL (>= 2)
Imports devtools
Config/pak/sysreqs cmake libfontconfig1-dev libfreetype6-dev libfribidi-dev git make libharfbuzz-dev libgit2-dev libicu-dev libjpeg-dev libpng-dev libtiff-dev libuv1-dev libwebp-dev libxml2-dev libssl-dev libx11-dev zlib1g-dev
Repository <https://eddelbuettel.r-universe.dev>
Date/Publication 2015-04-26 14:18:53 UTC
RemoteUrl <https://github.com/eddelbuettel/apollo13>
RemoteRef HEAD
RemoteSha 9ff19612b68ca76984a8f0ca531fa2f104b08954

Contents

apollo13-package	2
buildPackage	2
installGithub	3
Index	4

apollo13-package

Houston, We Have A Problem

Description

Some people write packages with too many underscores, and too many imports shadowing other packages. This package addresses both problems by selectively importing just a few key funtions and carefully renaming them. To camelCase, naturally.

Details

This mostly uses facilities now available via the NAMESPACE mechanism.

Author(s)

Dirk Eddelbuettel

Maintainer: Dirk Eddelbuettel <edd@debian.org>

buildPackage*buildPackage*

Description

buildPackage

Usage

```
buildPackage(...)
```

Arguments

... passed on to build

See Also

[build](#)

<code>installGithub</code>	<i>installGithub</i>
----------------------------	----------------------

Description

`installGithub`

Usage

`installGithub(...)`

Arguments

`...` passed on to `install_github`

See Also

[install_github](#)

Index

* **package**

apollo13-package, [2](#)

apollo13 (apollo13-package), [2](#)

apollo13-package, [2](#)

build, [2](#)

buildPackage, [2](#)

install_github, [3](#)

installGithub, [3](#)