

Package: bbb (via r-universe)

October 5, 2026

Type Package

Title (Broken) 'Bollinger Band's ... in the presence of 'dplyr'

Version 0.0.1

Author Dirk Eddelbuettel

Maintainer Dirk Eddelbuettel <edd@debian.org>

Description Demonstrates how 'dplyr' breaks filter() by hiding the stats::filter function. Also used to test if importFrom(..., except=...) works and it seems it does not.

Imports quantmod, dplyr

License GPL (>= 2)

RoxygenNote 6.0.1

Config/pak/sysreqs libssl-dev

Repository <https://eddelbuettel.r-universe.dev>

Date/Publication 2021-10-28 21:51:09 UTC

RemoteUrl <https://github.com/eddelbuettel/bbb>

RemoteRef HEAD

RemoteSha 5ce0fe79aa89c979eb6cb43cc860f1a3b71e8834

Contents

BollingerBands	2
Index	3

BollingerBands*Compute and Disply Bollinger Bands*

Description

This code was written in 2005 in discussion with John Bollinger, and posted for a few years at the (now long gone) R Graph Gallery.

Usage

```
BollingerBands(instrument)
```

Arguments

`instrument` A security symbol for which (public) data can be downloaded

Value

A data.frame with results

Examples

```
## Not run:  
BollingerBands("SPY")  
  
## End(Not run)
```

Index

BollingerBands, [2](#)