

Package: tinythemes (via r-universe)

June 30, 2024

Type Package

Title Lightweight Repackaging of 'Themes' for 'ggplot2'

Version 0.0.2

Date 2024-03-04

Description Themes for 'ggplot2' are a convenient way to style plots.

The 'hrbrthemes' package contains a particularly nice one, but brings along a significant tail of dependencies. So this (currently experimental) package brings along just the 'theme_ipsum_rc' theme using the 'Roboto' 'Condensed' font. Should the font not be installed on your system, see the help in the package 'hrbrthemes' on how to install 'Roboto Condensed'.

URL <https://github.com/eddelbuettel/tinythemes>

BugReports <https://github.com/eddelbuettel/tinythemes/issues>

License MIT + file LICENSE

Imports ggplot2

Suggests hrbrthemes, patchwork

RoxygenNote 7.3.1

Encoding UTF-8

Repository <https://eddelbuettel.r-universe.dev>

RemoteUrl <https://github.com/eddelbuettel/tinythemes>

RemoteRef HEAD

RemoteSha cebb89f897cff79277ed86d7aafbee08f2d73b6d

Contents

tinythemes-package	2
theme_ipsum_rc	2

Index	5
--------------	----------

tinythemes-package	<i>Lightweight Repackaging of 'Themes' for 'ggplot2'</i>
--------------------	--

Description

Themes for 'ggplot2' are a convenient way to style plots. The 'hrbrthemes' package contains a particularly nice one, but brings along a significant tail of dependencies. So this (currently experimental) package brings along just the 'theme_ipsum_rc' theme using the 'Roboto' 'Condensed' font. Should the font not be installed on your system, see the help in the package 'hrbrthemes' on how to install 'Roboto Condensed'.

Package Content

Index: This package was not yet installed at build time.

Maintainer

Dirk Eddelbuettel <edd@debian.org>

Author(s)

Dirk Eddelbuettel [aut, cre] (<<https://orcid.org/0000-0001-6419-907X>>), Bob Rudis [aut] (<<https://orcid.org/0000-0001-5670-2640>>)

theme_ipsum_rc	<i>A precise & pristine ggplot2 theme with opinionated defaults and an emphasis on typography</i>
----------------	---

Description

You should consult the documentation of the **hrbrthemes** package if the font does not load properly. There is an option `hrbrthemes.loadfonts` which – if set to TRUE – will call `extrafont::loadfonts()` to register non-core fonts with R PDF & PostScript devices. If you are running under Windows, the package calls the same function to register non-core fonts with the Windows graphics device.

Usage

```
theme_ipsum_rc(
  base_family = "Roboto Condensed",
  base_size = 11.5,
  plot_title_family = base_family,
  plot_title_size = 18,
  plot_title_face = "bold",
  plot_title_margin = 10,
  subtitle_family = if (.Platform$OS.type == "windows") "Roboto Condensed" else
```

```

    "Roboto Condensed Light",
  subtitle_size = 13,
  subtitle_face = "plain",
  subtitle_margin = 15,
  strip_text_family = base_family,
  strip_text_size = 12,
  strip_text_face = "plain",
  caption_family = if (.Platform$OS.type == "windows") "Roboto Condensed" else
    "Roboto Condensed Light",
  caption_size = 9,
  caption_face = "plain",
  caption_margin = 10,
  axis_text_size = base_size,
  axis_title_family = base_family,
  axis_title_size = 9,
  axis_title_face = "plain",
  axis_title_just = "rt",
  plot_margin = margin(30, 30, 30, 30),
  panel_spacing = grid::unit(2, "lines"),
  grid_col = "#cccccc",
  grid = TRUE,
  axis_col = "#cccccc",
  axis = FALSE,
  ticks = FALSE
)

```

Arguments

base_family, base_size
base font family and size

plot_title_family, plot_title_face, plot_title_size,
plot_title_margin
plot title family, face, size and margin

subtitle_family, subtitle_face, subtitle_size
plot subtitle family, face and size

subtitle_margin
plot subtitle margin bottom (single numeric value)

strip_text_family, strip_text_face, strip_text_size
facet label font family, face and size

caption_family, caption_face, caption_size, caption_margin
plot caption family, face, size and margin

axis_text_size font size of axis text

axis_title_family, axis_title_face, axis_title_size
axis title font family, face and size

axis_title_just
axis title font justification one of [blmcr]t]

plot_margin plot margin (specify with [ggplot2::margin](#))

panel_spacing	panel spacing (use unit())
grid_col	grid color
grid	panel grid (TRUE, FALSE, or a combination of X, x, Y, y)
axis_col	axis color
axis	add x or y axes? TRUE, FALSE, "xy"
ticks	ticks if TRUE add ticks

Value

A [ggplot2](#)-compatible 'theme' data structure is returned for use in standard [ggplot2](#) usage.

Why Roboto Condensed?

It is free, has tolerable kerning pairs and multiple weights. It is also different than Arial Narrow and the fonts most folks use in [ggplot2](#) charts.

Examples

```
if (interactive()) { # default postscript device used in tests does not have font
library(ggplot2)

# seminal scatterplot
ggplot(mtcars, aes(mpg, wt)) +
  geom_point() +
  labs(x="Fuel efficiency (mpg)", y="Weight (tons)",
        title="Seminal ggplot2 scatterplot example",
        subtitle="A plot that is only useful for demonstration purposes",
        caption="Brought to you by the letter 'g'") +
  theme_ipsum_rc()

# seminal bar chart

# note: make this font_rc on Windows
if (Sys.info()[["sysname"]] == "Windows")
  update_geom_font_defaults(family=font_rc_light)

data.frame(table(mpg$class)) |>
  ggplot(aes(x = Var1, y = Freq)) +
  geom_col() +
  geom_text(aes(label = Freq, nudge_y=3)) +
  labs(x="Fuel efficiency (mpg)", y="Weight (tons)",
        title="Seminal ggplot2 bar chart example",
        subtitle="A plot that is only useful for demonstration purposes",
        caption="Brought to you by the letter 'g'") +
  theme_ipsum_rc(grid="Y") +
  theme(axis.text.y=element_blank())
}
```

Index

*** package**

tinythemes-package, [2](#)

ggplot2, [2](#), [4](#)

ggplot2::margin, [3](#)

theme_ipsum_rc, [2](#)

tinythemes (tinythemes-package), [2](#)

tinythemes-package, [2](#)