Package: tlexample (via r-universe)

October 30, 2026

Type Package

Title Simple Example of Using 'tl' for Logging

Version 0.0.1

Date 2026-06-24

Description An illustraton of how the 'tl' package permits consistent logging from both R and C++ in a manner that is 'tiny, fast, capable'.

URL https://github.com/eddelbuettel/tlexample

BugReports https://github.com/eddelbuettel/tlexample/issues

License GPL (>= 2)

LinkingTo Rcpp, rspdlite, tl

Imports Rcpp, tl (>= 0.0.2)

RoxygenNote 6.0.1

Repository https://eddelbuettel.r-universe.dev

Date/Publication 2026-07-02 13:29:28 UTC

RemoteUrl https://github.com/eddelbuettel/tlexample

RemoteRef HEAD

RemoteSha b4517a90fcab19f1870f69f3ade1e60dee0e2ad7

Contents

tlexample-package 2
bar 2
foo 3

Index **4**

tlexample-package *Simple Example of Using 'tl' for Logging*

Description

An illustraton of how the 'tl' package permits consistent logging from both R and C++ in a manner that is 'tiny, fast, capable'.

Package Content

Index: This package was not yet installed at build time.

Maintainer

Dirk Eddelbuettel <edd@debian.org>

Author(s)

Dirk Eddelbuettel [aut, cre] (ORCID: <https://orcid.org/0000-0001-6419-907X>)

bar *Simple example function*

Description

The **tl** package provides a uniform interface to logging from both R and C++ using the same namespaced `tl::debug()` (and alike for differ logging verbs) interface. This package (and function) demonstrates it.

Usage

```
bar(s = "baz")
```

Arguments

`s`	A character string, defaults to "baz"

Value

Nothing is returned as the function is invoked for its side-effect.

`foo` *Simple Example of tl() use*

Description

This function details how one can combine logging from R (by calling functions such as `tl::debug()`) with C++ logging, here from a function `bar()` in this package.

Usage

```
foo()
```

Examples

```
foo()
```

Index

∗ **package**
    tlexample-package, 2

bar, 2

foo, 3

tlexample *(*tlexample-package*)*, 2
tlexample-package, 2